



- GENERAL NOTES:
1. ALL CONCRETE TO BE MOIST CURED FOR 7 DAYS OR HAVE AN APPROVED CURING COMPOUND APPLIED.
 2. REPORT ANY DISCREPANCIES FOUND TO THE ENGINEER IMMEDIATELY.
 3. STRUCTURAL CONCRETE TO BE 1:11/2:3-20MM AGGREGATES.
 4. LAP LENGTH FOR ALL BARS SHALL BE 50 TIMES THE DIA OF THE BAR UNLESS OTHERWISE SPECIFIED.
 5. SPACER BAR TO BE PROVIDED IN BETWEEN TWO LAYERS OF REINFORCEMENT OF SAME DIA@EVERY 1000C/C.
 6. READ ONLY FIGURED DIMENSIONS.
 7. ALL SURFACE BEDS TO BE CAST ON WELL COMPACTED AND WELL CONSOLIDATED FILLING.
 8. ALL DIMENSIONS ARE IN MM.

PLAN

PLAN OF REINFORCEMENT DETAILS

JOB No.				ORDER NO.				MATL				DESCRIPTION			
PLANT / AREA				DRAWN				SCALE: N.T.S				DATE: 27/02/2019			
SECTION				CHECKED				DRAWING NUMBER				REVISION			
TITLE				DESIGNED				17423				SHT. No.			
PROPOSED COMBUSTION AIR FUN FOUNDATION				APPROVED								A 3			

REV.	BY	DATE	APPR.	ALTERATION
	A			
	B			
	C			
	D			
	E			
	F			
	G			
	H			

TATA CHEMICALS MAGADI				P.O. BOX 1-00005 LAKE MAGADI, KENYA			
TATA				MAGADI STATION			
TATA				ASH PLANT			
TATA				PROPOSED COMBUSTION AIR FUN FOUNDATION			